V. REFERENCES:

1. Lachman L, Liberman HA. The theory and practice of industrial pharmacy. 3rd ed. Bombay: Varghese Publishing House; 1987. p. 430.
2. Robinson JR, Lee VHL. Controlled drug delivery: fundamentals and applications. 2nd ed. New York: Marcel Dekker; 1987. p. 16.
3. Gennaro AR. Remington, the Science and Practice of Pharmacy. 20th ed. Lippincott: Williams and Wilkins; 2001. p. 906-914.
4. Chang RK, Robinson JR. Pharmaceutical dosage forms: Tablets. New York: Marcel Dekker; 1990. p. 206.
5. Lee VHL, Robinson JR. Sustained and controlled release drug delivery systems 1978, p. 6.
6. Vyas S., Khar R. Targeted and Contolled drug delivery: Novel carrier systems. First edition, CBS Publishers; New Delhi; 2006; pg.417-457.
7. Diane J. Burgess, Anthony J. Hickey. Microsphere Technology and Applications. Encyclopedia of pharmaceutical technology. Vol. 1. Third edition. Informa Healthcare. 2007. Pg no. 2328-2336
8. Hemalatha K, Lathaeswari R, Suganeswari M, Senthil Kumar V, Anto SM. formulation and evaluation of metoclopramide hydrochloride microbeads by ionotropic gelation method. In J of Pharm & Bio Archives 2011; 2 suppl 3: 921-925.
9. Patil JS, Kamalapur MV, Marapur SC, Kadam DV. ionotropic gelation and polyelectrolyte complexation: the novel techniques to design hydrogel particulate sustained, modulated drug delivery system: a review. Digest Journal of Nanomaterials and Biostructures 2010; 5(1): 241-248.
10. Chokshi R, Zia H. Hot melt extrusion technique: a review, Iranian J Pharm Res. 2004; 3: 3-16.
11. Available at http:// www.drugs.com /pro/TM hydrochloride.html, Accessed on Aug 2009
12. Kas H.S. Chitosan: properties, preparation and application to microparticulate systems. J. Microencapsul. Vol. 14, p. 689-711, 1997.
13. Chandy T., Sharma C.P. Chitosan as a biomaterial biomater. Artif. Cells Artif. Organs. Vol. 18, p. 1-24, 1990.
14. Illum L. Chitosan and its use as a pharmaceutical excipient. Pharm. Res. Vol. 15, p. 1326-1331, 1998.

15. Allen LV. Featured excipient: capsule and tablet lubricants. IntJPharm Compound 2000; 4(5): 390–392.
16. Pongjanyakul T, Medlicott NJ, Tucker IG. Melted glycerylpalmitostearate (GPS) pellets for protein delivery. Int J Pharm2004; 271(1–2): 53–62
17. Jannin V, Berard V, N'Diaye A, et al. Comparative study of thelubricant performance of Compritol (R) 888 ATD either used byblending or by hot melt coating. Int J Pharm 2003; 262(1–2): 39–45.
18. Obaidat AA, Obaidat RM. Controlled release of tramadolhydrochloride from matrices prepared using glycerylbehenate.Eur J Pharm Biopharm 2001; 52(2): 231–235
19. Allegaert K, Anderson BJ, Verbesselt R, Debeer A, de Hoon J, Devlieger H, Van Den Anker JN, Tibboel D. Tramadol disposition in the very young: an attempt to assess in vivo cytochrome P-450 2D6 activity. Br. J. Anaesth. 2005; 95: 231-239.
20. Malonne H, Coffiner M, Fontaine D. Long-term tolerability of Tramadol LP, a new once-daily formulation, in patients with osteoarthritis or low back pain. J Clin Pharm Ther 2005; 30: 113-120.
21. Pramod K, Sanjay S, Brahmeshwar M. Development and biopharmaceutical evaluation of extended release formulation of Tramadol Hydrochloride based on osmotic technology, Acta. Pharm 2009; 59: 15-30.
22. Shu XZ, Zhu KJ, Song W. Novel pH-sensitive citrate cross-linked chitosan film for drug controlled release. Int J Pharm 2001a; 212: 19- 28.
23. K.S.Y. Hemant , ManglaNand Singh (2010), Chitosan/Sodium tripolyphosphate cross linked microspheres for the treatment of gastric ulcer, Scholars Research Library,2(6)., 106-113.
24. Maryam Amidi , Enrico Mastrobattista (2010), Chitosan-based delivery systems for protein therapeutics and antigens, Advanced Drug Delivery Reviews,62.,59-82.
25. Preeti K. Suresh, Mahendra Kumar Dewangan (2011), Development and in vitro characterization of metronidazole loaded chitosan microspheres for delivery to periodontal pocket, Journal of Applied Pharmaceutical Science, 01 (08)., 165-169.

26. Devika R. Bhumkar, Varsha B. Pokharkar (2006), Studies on Effect of pH on Cross-linking of Chitosan With Sodium Tripolyphosphate: A Technical Note, AAPS PharmSciTech, 7 (2).
27. S. Senthilkumar, Avik Kumar Saha, KunchuKavitha (2012), Evaluation of clobazam loaded ionically cross-linked microspheres using chitosan, Pelagia Research Library, 3 (6), 616-623.
28. Magdalena Gierszewska-Drużyńska, Jadwiga Ostrowska-Czubenko (2011), influence of crosslinking process conditions on molecular and supermolecular structure of chitosan hydrogel membrane, Progress on Chemistry and Application of Chitin, 16., 15-22.
29. Emmanuel ChinedumIbezim, Cristina Tristao Andrade (2011), Ionically Cross-linked Chitosan/Tripolyphosphate Microparticles for the Controlled Delivery of Pyrimethamine, Ibnosina Journal of Medicine and Biomedical Sciences, 3 (3), 77-88.
30. Aliasgar J. Kundawala, Vishnu A. Patel (2011), Isoniazid loaded chitosan microspheres for pulmonary delivery: Preparation and characterization, Pelagia Research Library, 2 (5).,88-97.
31. Obaidat AA, Obaidat RM. Controlled release of Tramadol Hydrochloride from matrices prepared using glycerylbehenate. Eur J BiopharmPharmacokin 2001; 52: 231-235.
32. Tiwari SB, Murthy TK, Pai MR, Mehta PR, Chowdary PB. Controlled release formulation of Tramadol Hydrochloride using hydrophilic and hydrophobic matrix system. AAPS Pharm Sci Tech 2003; 4:110-116.
33. Shu XZ, Zhu KJ. A novel approach to prepare tripolyphosphate/ chitosan complex beads for controlled release drug delivery. Int J Pharm 2000; 20: 51-58.
34. D. Singh, Manju Singh (2010), Optimization and Characterization of Gentamicin Loaded Chitosan Microspheres for Effective Wound Healing, Indian J.Pharm. Educ. Res, 44 (2).
35. R. Jayakumar, R. L. Reis (2006), Phosphorous Containing Chitosan Beads for Controlled Oral Drug Delivery, Journal of bioactive and compatible polymers, 21, 327-340.

36. Akanksha Garud, NavneetGarud (2010), Preparation and Evaluation of Chitosan Microcapsules of Metronidazole using Tripolyphosphate Cross-linking Method, Dhaka Univ. J. Pharm. Sci., 9(2)., 125-130.
37. Hui Liu, ChangyouGao (2009), Preparation and properties of ionically cross-linked chitosan nanoparticles, Polymer advance technology, 20., 613-619.
38. J. Berger, M. Reist, J.M. Mayer (2004), Structure and interactions in covalently and ionicallycrosslinked chitosan hydrogels for biomedical applications, European Journal of Pharmaceutics and Biopharmaceutics, 57, 19-34.
39. Mahaparale PR, Kasture PV, Deshmukh SS, Sustained release matrices of Metoprolol succinate using Compritol 888 ATO &Precirol ATO 05. J Pharm Res 2006; 5(1): 10-14.
40. J.K.Patel , N.P. Jivani (2009), chitosan baed nanoparticle in drug delivery, Int. J. of Pharma. Science, 2., 517-522.
41. Somasundaram Ramachandran, Satyamoorthy Nandhakumar (2011), Formulation and Characterization of Glutaraldehyde Cross-Linked Chitosan Biodegradable Microspheres Loaded with Famotidine, Tropical Journal of Pharmaceutical Research, 10 (3).,309-316.
42. Lian-Yan Wang, Yong-Hong Gu (2006), Preparation and improvement of release behavior of chitosan microspheres containing insulin, International Journal of Pharmaceutics, 311, 187-195.
43. M.D.Dhanaraju, R.Mani Kumar (2009), Controlled delivery of anti retroviral drug loaded chitosan crosslinked microspheres, Scholars Research Library, 1 (2), 279-286.
44. Rajesh Pandey, G. K. Khuller (2004), Chemotherapeutic potential of alginate–chitosan microspheres as anti-tubercular drug carriers, Journal of Antimicrobial Chemotherapy, 53, 635-640.
45. Sanju Dhawan, Anil Kumar Singla (2004), Evaluation of Mucoadhesive Properties of Chitosan Microspheres Prepared by Different Methods, AAPS PharmSciTech, 5 (4),
46. Rajesh R. Dubey, Rajesh H. Parikh (2003), Two-Stage Optimization Process for Formulation of Chitosan Microspheres, AAPS PharmSciTech, 5 (1).

47. Kiran S. Bhise, Ravindra S. Dhumal (2007), Effect of Oppositely Charged Polymer and Dissolution Medium on Swelling, Erosion, and Drug Release From Chitosan Matrices, AAPS PharmSciTech, 8 (2).
48. Sanat Kumar Basu, KunchuKavitha (2011), Evaluation of Ionotropic Cross-Linked Chitosan/Gelatin B Microspheres of Tramadol Hydrochloride, AAPS Pharm SciTech, 12 (1).
49. SoheilaHonary, Maryam Maleki (2009), The effect of chitosan molecular weight on the properties of alginate/ chitosan microparticles containing prednisolone, Tropical Journal of Pharmaceutical Research, 8 (1), 53-61.
50. HailongPeng, HuaXiong (2010), Vanillin cross-linked chitosan microspheres for controlled release of resveratrol, Food Chemistry, 121, 23-28.
51. KesariAsha, Dash Vikash (2012), Formulation and evaluation of Zidovudine loaded chitosan Microspheres for controlled release, International Journal of Drug Development & Research, 4 (1), 96-105.
52. P.M.Dandagi. F.V. Manvi (2004), Microencapsulation of Verapamil Hydrochloride by Ionotropic Gealtion Technique, Indian J. pharm. Sci., 66(5): 631-635.
53. Paradkar AR, Maheshwari M, Chauhan MB. Sustained release matrices of Metformin Hydrochloride and GlycerylBehenate. Indian Drugs 2004; 41 (6): 350 – 353.
54. Amaral MH, Sousa Lobo JM, Ferreira DC. Effect of hydroxypropyl methylcellulose& hydrogenated castor oil on Naproxen release from sustained release tablets. AAPS Pharm Sci Tech 2001; 2 (2): 6: 42-49.
55. Jiping L, Zhang F, McGinity JW. Properties of lipophilic matrix tablets containing Phenylpropanolamine HCL prepared by hot –melt extrusion. Eur J Pharm Biopharm 2001; 52 (2): 181 – 190.
56. Shimpi S, Chauhan B, Mahadik KR, Paradkar AR. Preparation & Evaluation of Diltiazem Hydrochloride- Gelucire 43/01 Floating Granules prepared by melt granulation. AAPS PharmsciTech 2004; 5 (3): 43: 17-21.
57. Kamble R, Maheshwari M, Paradkar AR, Kadam S. Melt solidification technique: Incorporation of higher wax content in Ibuprofen Beads. AAPS Pharm Sci Tech 2004; 5 (4): 61: 151-157.

58. Paradkar A, Maheshwari M, Tyagi A, Chauhan B, Kadam SS. Preparation & characterization of Flurbiprofen Beads by Melt Solidification technique. AAPS PharmsciTech 2003; 4 (4); 9: 32-39.
59. Chauhan B, Shimpi S, Mahadik KR, Paradkar AR. Preparation & Evaluation of floating Risedroante sodium Gelucire 39/01 matrices. Acta Pharm 2004; 54: 205 – 214.
60. Mahaparale PR, Kasture PV, Deshmukh SS, Sustained release matrices of Metoprolol succinate using Compritol 888 ATO &Precirol ATO 05. J Pharm Res 2006; 5(1): 10-14.
61. Feng-Qian Li, Jin-Hong Hu, Jia-Xin Deng, Hua Su, ShuXu, Ji-Yong Liu. In vitro controlled release of Sodium Ferualte from Compritol 888 ATO- based matrix tablets. Int J Pharm 2006; 30:1-6.
62. Jannin V, Pochard E, Chambin O. Influence of Poloxamers on the dissolution performance & stability of controlled release formulation containing Precirol ATO 05. Int J Pharm 2006; 309:6-15.
63. Atul K, Kuksal A. Formulation & In-vitro, In-vivo evaluation of extended release matrix tablet of Zidovoudine Influence of combination of Hydrophilic & Hydrophobic matrix formers. AAPS PharmsciTech 2006; 7(1): 1-9.